

April 12, 2011

# Montana Health Care Programs Notice

## Psychiatrist, Physician, Mid-Level Practitioner, Pharmacy, and Community Mental Health Center

---

### Prior Authorization for Cycloset<sup>®</sup>

Effective immediately, prior authorization (PA) will be required for the following medication:

Cycloset<sup>®</sup> (bromocriptine mesylate) is indicated by the Food and Drug Administration (FDA) as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus. The following criteria must be met to allow payment for Cycloset<sup>®</sup>.

- Criteria
  - Patient must have a diagnosis of type 2 diabetes.
  - Patient must have had an adequate trial on first-line therapies for diabetes treatment (i.e., metformin, sulfonylureas, insulin).
  - Patient must have had an adequate trial on bromocriptine tablets and compelling clinical information requiring the need to switch to Cycloset<sup>®</sup>.
- Limitations
  - Maximum dose authorized will be 4.8mg per day.

The prescriber (e.g., physician) or pharmacy may submit requests by mail, telephone, or fax to:

**Drug Prior Authorization Unit**  
**Mountain-Pacific Quality Health**  
**3404 Cooney Drive**  
**Helena, MT 59602**  
**(406) 443-6002 or (800) 395-7961 (Phone)**  
**(406) 443-7014 or (800) 294-1350 (Fax)**

To request PA, providers must submit the information requested on the *Request for Drug Prior Authorization* form to the Drug Prior Authorization Unit. This form is on the Provider Information [website](#).

If you have questions regarding this notice, contact Amy Holodnick at (406) 444-2738 or the Medicaid Drug Prior Authorization Unit at (406) 443-6002.

## **Contact Information**

For claims questions or additional information, contact Provider Relations:

**Provider Relations toll-free in- and out-of-state: 1-800-624-3958**

**Helena: (406) 442-1837**

**E-mail: [MTPRHelpdesk@ACS-inc.com](mailto:MTPRHelpdesk@ACS-inc.com)**

Visit the Provider Information website:

**<http://medicaidprovider.hhs.mt.gov>**