



July 5, 2016

Montana Healthcare Programs Notice

Physician, Hospital Inpatient, Hospital Outpatient, FOHC, RHC,
Ambulatory Surgical Center, Mid-Level Practitioner

Effective July 1, 2016

PA For Botox No Longer Required

Effective July 1, 2016, Montana Medicaid will no longer require prior authorization for Botox. These services will now be reimbursed only if the claim is submitted with an approved diagnosis.

Provider claims that are filed on CMS-1500 claim form must use the diagnosis pointer (box 24E) to indicate the specific diagnosis related to the procedure code.

Botox is approved for the following diagnosis codes:

| Allowed Botox ICD-10 Diagnosis Codes | |
|--------------------------------------|--|
| ICD-10 Diagnosis Code | Description |
| G04.1 | Tropical spastic paraplegia |
| G11.4 | Hereditary spastic paraplegia |
| G24.1 | Genetic torsion dystonia |
| G24.2 | Idiopathic nonfamilial dystonia |
| G24.3 | Spasmodic torticollis |
| G24.4 | Idiopathic orofacial dystonia |
| G24.5 | Blepharospasm |
| G24.8 | Other dystonia |
| G24.9 | Dystonia, unspecified |
| G25.3 | Myoclonus |
| G25.89 | Other specified extrapyramidal and movement disorders |
| G35 | Multiple sclerosis |
| G36.1 | Acute and subacute hemorrhagic leukoencephalitis [Hurst] |
| G36.8 | Other specified acute disseminated demyelination |
| G37.0 | Diffuse sclerosis of central nervous system |
| G37.1 | Central demyelination of corpus callosum |
| G37.2 | Central pontine myelinolysis |
| G37.4 | Subacute necrotizing myelitis of central nervous system |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G43.011 | Migraine without aura, intractable, with status migrainosus |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|--|
| ICD-10 Diagnosis Code | Description |
| G43.019 | Migraine without aura, intractable, without status migrainosus |
| G43.109 | Migraine with aura, not intractable, without status migrainosus |
| G43.111 | Migraine with aura, intractable, with status migrainosus |
| G43.119 | Migraine with aura, intractable, without status migrainosus |
| G43.701 | Chronic migraine without aura, not intractable, with status migrainosus |
| G43.709 | Chronic migraine without aura, not intractable, without status migrainosus |
| G43.711 | Chronic migraine without aura, intractable, with status migrainosus |
| G43.719 | Chronic migraine without aura, intractable, without status migrainosus |
| G50.8 | Other disorders of trigeminal nerve |
| G51.2 | Melkersson's syndrome |
| G51.3 | Clonic hemifacial spasm |
| G51.4 | Facial myokymia |
| G51.8 | Other disorders of facial nerve |
| G80.0 | Spastic quadriplegic cerebral palsy |
| G80.1 | Spastic diplegic cerebral palsy |
| G80.2 | Spastic hemiplegic cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.8 | Other cerebral palsy |
| G81.11 | Spastic hemiplegia affecting right dominant side |
| G81.12 | Spastic hemiplegia affecting left dominant side |
| G81.13 | Spastic hemiplegia affecting right nondominant side |
| G81.14 | Spastic hemiplegia affecting left nondominant side |
| G82.20 | Paraplegia, unspecified |
| G82.21 | Paraplegia, complete |
| G82.22 | Paraplegia, incomplete |
| G82.50 | Quadriplegia, unspecified |
| G82.53 | Quadriplegia, C5-C7 complete |
| G82.54 | Quadriplegia, C5-C7 incomplete |
| G83.0* | Diplegia of upper limbs |
| G83.11 | Monoplegia of lower limb affecting right dominant side |
| G83.21 | Monoplegia of upper limb affecting right dominant side |
| G83.22 | Monoplegia of upper limb affecting left dominant side |
| G83.23 | Monoplegia of upper limb affecting right nondominant side |
| G83.24 | Monoplegia of upper limb affecting left nondominant side |
| G83.4 | Cauda equina syndrome |
| G83.4 | Cauda equina syndrome |
| G97.2 | Intracranial hypotension following ventricular shunting |

| Allowed Botox ICD-10 Diagnosis Codes | |
|--------------------------------------|---|
| ICD-10 Diagnosis Code | Description |
| G97.31 | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system procedure |
| G97.32 | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other procedure |
| G97.81 | Other intraoperative complications of nervous system |
| G97.82 | Other post procedural complications and disorders of nervous system |
| H02.041 | Spastic entropion of right upper eyelid |
| H04.213 | Epiphora due to excess lacrimation, bilateral lacrimal glands |
| H49.01 | Third [oculomotor] nerve palsy, right eye |
| H49.02 | Third [oculomotor] nerve palsy, left eye |
| H49.03 | Third [oculomotor] nerve palsy, bilateral |
| H49.11 | Fourth [trochlear] nerve palsy, right eye |
| H49.12 | Fourth [trochlear] nerve palsy, left eye |
| H49.13 | Fourth [trochlear] nerve palsy, bilateral |
| H49.21 | Sixth [abducent] nerve palsy, right eye |
| H49.22 | Sixth [abducent] nerve palsy, left eye |
| H49.23 | Sixth [abducent] nerve palsy, bilateral |
| H49.31 | Total (external) ophthalmoplegia, right eye |
| H49.32 | Total (external) ophthalmoplegia, left eye |
| H49.33 | Total (external) ophthalmoplegia, bilateral |
| H49.41 | Progressive external ophthalmoplegia, right eye |
| H49.42 | Progressive external ophthalmoplegia, left eye |
| H49.43 | Progressive external ophthalmoplegia, bilateral |
| H49.881 | Other paralytic strabismus, right eye |
| H49.882 | Other paralytic strabismus, left eye |
| H49.883 | Other paralytic strabismus, bilateral |
| H49.9 | Unspecified paralytic strabismus |
| H50.00 | Unspecified esotropia |
| H50.011 | Monocular esotropia, right eye |
| H50.012 | Monocular esotropia, left eye |
| H50.021 | Monocular esotropia with A pattern, right eye |
| H50.022 | Monocular esotropia with A pattern, left eye |
| H50.031 | Monocular esotropia with V pattern, right eye |
| H50.032 | Monocular esotropia with V pattern, left eye |
| H50.041 | Monocular esotropia with other noncomitancies, right eye |
| H50.042 | Monocular esotropia with other noncomitancies, left eye |
| H50.05 | Alternating esotropia |
| H50.06 | Alternating esotropia with A pattern |
| H50.07 | Alternating esotropia with V pattern |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|--|
| ICD-10 Diagnosis Code | Description |
| H50.08 | Alternating esotropia with other noncomitancies |
| H50.10 | Unspecified exotropia |
| H50.111 | Monocular exotropia, right eye |
| H50.112 | Monocular exotropia, left eye |
| H50.121 | Monocular exotropia with A pattern, right eye |
| H50.122 | Monocular exotropia with A pattern, left eye |
| H50.131 | Monocular exotropia with V pattern, right eye |
| H50.132 | Monocular exotropia with V pattern, left eye |
| H50.141 | Monocular exotropia with other noncomitancies, right eye |
| H50.142 | Monocular exotropia with other noncomitancies, left eye |
| H50.15 | Alternating exotropia |
| H50.16 | Alternating exotropia with A pattern |
| H50.17 | Alternating exotropia with V pattern |
| H50.18 | Alternating exotropia with other noncomitancies |
| H50.21 | Vertical strabismus, right eye |
| H50.22 | Vertical strabismus, left eye |
| H50.30 | Unspecified intermittent heterotropia |
| H50.311 | Intermittent monocular esotropia, right eye |
| H50.312 | Intermittent monocular esotropia, left eye |
| H50.32 | Intermittent alternating esotropia |
| H50.331 | Intermittent monocular exotropia, right eye |
| H50.332 | Intermittent monocular exotropia, left eye |
| H50.34 | Intermittent alternating exotropia |
| H50.40 | Unspecified heterotropia |
| H50.411 | Cyclotropia, right eye |
| H50.412 | Cyclotropia, left eye |
| H50.42 | Monofixation syndrome |
| H50.43 | Accommodative component in esotropia |
| H50.51 | Esophoria |
| H50.52 | Exophoria |
| H50.53 | Vertical heterophoria |
| H50.54 | Cyclophoria |
| H50.55 | Alternating heterophoria |
| H50.611 | Brown's sheath syndrome, right eye |
| H50.612 | Brown's sheath syndrome, left eye |
| H50.69 | Other mechanical strabismus |
| H50.811 | Duane's syndrome, right eye |
| H50.89 | Other specified strabismus |
| H51.0 | Palsy (spasm) of conjugate gaze |

| Allowed Botox ICD-10 Diagnosis Codes | |
|--------------------------------------|--|
| ICD-10 Diagnosis Code | Description |
| H51.11 | Convergence insufficiency |
| H51.12 | Convergence excess |
| H51.21 | Internuclear ophthalmoplegia, right eye |
| H51.22 | Internuclear ophthalmoplegia, left eye |
| H51.23 | Internuclear ophthalmoplegia, bilateral |
| H51.8 | Other specified disorders of binocular movement |
| I60.01 | Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation |
| I60.02 | Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation |
| I60.11 | Nontraumatic subarachnoid hemorrhage from right middle cerebral artery |
| I60.12 | Nontraumatic subarachnoid hemorrhage from left middle cerebral artery |
| I60.21 | Nontraumatic subarachnoid hemorrhage from right anterior communicating artery |
| I60.22 | Nontraumatic subarachnoid hemorrhage from left anterior communicating artery |
| I60.31 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery |
| I60.32 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery |
| I60.4 | Nontraumatic subarachnoid hemorrhage from basilar artery |
| I60.51 | Nontraumatic subarachnoid hemorrhage from right vertebral artery |
| I60.52 | Nontraumatic subarachnoid hemorrhage from left vertebral artery |
| I60.6 | Nontraumatic subarachnoid hemorrhage from other intracranial arteries |
| I60.8 | Other nontraumatic subarachnoid hemorrhage |
| I61.0 | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical |
| I61.1 | Nontraumatic intracerebral hemorrhage in hemisphere, cortical |
| I61.3 | Nontraumatic intracerebral hemorrhage in brain stem |
| I61.4 | Nontraumatic intracerebral hemorrhage in cerebellum |
| I61.5 | Nontraumatic intracerebral hemorrhage, intraventricular |
| I61.6 | Nontraumatic intracerebral hemorrhage, multiple localized |
| I61.8 | Other nontraumatic intracerebral hemorrhage |
| I62.00 | Nontraumatic subdural hemorrhage, unspecified |
| I62.01 | Nontraumatic acute subdural hemorrhage |
| I62.02 | Nontraumatic subacute subdural hemorrhage |
| I62.03 | Nontraumatic chronic subdural hemorrhage |
| I62.1 | Nontraumatic extradural hemorrhage |
| I63.011 | Cerebral infarction due to thrombosis of right vertebral artery |
| I63.012 | Cerebral infarction due to thrombosis of left vertebral artery |
| I63.02 | Cerebral infarction due to thrombosis of basilar artery |
| I63.031 | Cerebral infarction due to thrombosis of right carotid artery |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|---|
| ICD-10 Diagnosis Code | Description |
| I63.032 | Cerebral infarction due to thrombosis of left carotid artery |
| I63.09 | Cerebral infarction due to thrombosis of other precerebral artery |
| I63.111 | Cerebral infarction due to embolism of right vertebral artery |
| I63.112 | Cerebral infarction due to embolism of left vertebral artery |
| I63.12 | Cerebral infarction due to embolism of basilar artery |
| I63.19 | Cerebral infarction due to embolism of other precerebral artery |
| I63.211 | Cerebral infarction due to unspecified occlusion or stenosis of right vertebral arteries |
| I63.212 | Cerebral infarction due to unspecified occlusion or stenosis of left vertebral arteries |
| I63.22 | Cerebral infarction due to unspecified occlusion or stenosis of basilar arteries |
| I63.231 | Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries |
| I63.232 | Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries |
| I63.29 | Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries |
| I63.311 | Cerebral infarction due to thrombosis of right middle cerebral artery |
| I63.312 | Cerebral infarction due to thrombosis of left middle cerebral artery |
| I63.321 | Cerebral infarction due to thrombosis of right anterior cerebral artery |
| I63.322 | Cerebral infarction due to thrombosis of left anterior cerebral artery |
| I63.331 | Cerebral infarction due to thrombosis of right posterior cerebral artery |
| I63.332 | Cerebral infarction due to thrombosis of left posterior cerebral artery |
| I63.341 | Cerebral infarction due to thrombosis of right cerebellar artery |
| I63.342 | Cerebral infarction due to thrombosis of left cerebellar artery |
| I63.39 | Cerebral infarction due to thrombosis of other cerebral artery |
| I63.411 | Cerebral infarction due to embolism of right middle cerebral artery |
| I63.412 | Cerebral infarction due to embolism of left middle cerebral artery |
| I63.421 | Cerebral infarction due to embolism of right anterior cerebral artery |
| I63.422 | Cerebral infarction due to embolism of left anterior cerebral artery |
| I63.431 | Cerebral infarction due to embolism of right posterior cerebral artery |
| I63.432 | Cerebral infarction due to embolism of left posterior cerebral artery |
| I63.441 | Cerebral infarction due to embolism of right cerebellar artery |
| I63.442 | Cerebral infarction due to embolism of left cerebellar artery |
| I63.49 | Cerebral infarction due to embolism of other cerebral artery |
| I63.511 | Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery |
| I63.512 | Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery |
| I63.522 | Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|---|
| ICD-10 Diagnosis Code | Description |
| I63.531 | Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery |
| I63.532 | Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery |
| I63.541 | Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery |
| I63.542 | Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery |
| I63.59 | Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery |
| I63.6 | Cerebral infarction due to cerebral venous thrombosis, nonpyogenic |
| I63.8 | Other cerebral infarction |
| I69.031 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.032 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.033 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.034 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.061 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right dominant side |
| I69.062 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side |
| I69.063 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.064 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side |
| I69.065 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|---|
| ICD-10 Diagnosis Code | Description |
| | bilateral |
| I69.131 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.132 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.133 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.134 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.161 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right dominant side |
| I69.162 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left dominant side |
| I69.163 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.164 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side |
| I69.165 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral |
| I69.231 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.232* | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.233 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.234 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|---|
| ICD-10 Diagnosis Code | Description |
| I69.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.261 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right dominant side |
| I69.262 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left dominant side |
| I69.263 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.264 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left non-dominant side |
| I69.265 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage, bilateral |
| I69.331 | Monoplegia of upper limb following cerebral infarction affecting right dominant side |
| I69.332 | Monoplegia of upper limb following cerebral infarction affecting left dominant side |
| I69.333 | Monoplegia of upper limb following cerebral infarction affecting right non-dominant side |
| I69.334 | Monoplegia of upper limb following cerebral infarction affecting left non-dominant side |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side |
| I69.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side |
| I69.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side |
| I69.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side |
| I69.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side |
| I69.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|--|
| ICD-10 Diagnosis Code | Description |
| I69.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| I69.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side |
| I69.361 | Other paralytic syndrome following cerebral infarction affecting right dominant side |
| I69.362 | Other paralytic syndrome following cerebral infarction affecting left dominant side |
| I69.363 | Other paralytic syndrome following cerebral infarction affecting right non-dominant side |
| I69.364 | Other paralytic syndrome following cerebral infarction affecting left non-dominant side |
| I69.365 | Other paralytic syndrome following cerebral infarction, bilateral |
| I69.831 | Monoplegia of upper limb following other cerebrovascular disease affecting right dominant side |
| I69.832 | Monoplegia of upper limb following other cerebrovascular disease affecting left dominant side |
| I69.833 | Monoplegia of upper limb following other cerebrovascular disease affecting right non-dominant side |
| I69.834 | Monoplegia of upper limb following other cerebrovascular disease affecting left non-dominant side |
| I69.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side |
| I69.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side |
| I69.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side |
| I69.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side |
| I69.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side |
| I69.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side |
| I69.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| I69.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side |
| I69.861 | Other paralytic syndrome following other cerebrovascular disease affecting right dominant side |
| I69.862 | Other paralytic syndrome following other cerebrovascular disease affecting left dominant side |
| I69.863 | Other paralytic syndrome following other cerebrovascular disease affecting right non-dominant side |
| I69.864 | Other paralytic syndrome following other cerebrovascular disease affecting left non-dominant side |
| I69.865 | Other paralytic syndrome following other cerebrovascular disease, bilateral |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|--|
| ICD-10 Diagnosis Code | Description |
| I69.931 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.931 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.932 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left dominant side |
| I69.932 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left dominant side |
| I69.933 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.933 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.934 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.934 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left non-dominant side |
| I69.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side |
| I69.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side |
| I69.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side |
| I69.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side |
| I97.810 | Intraoperative cerebrovascular infarction during cardiac surgery |
| I97.811 | Intraoperative cerebrovascular infarction during other surgery |
| I97.820 | Postprocedural cerebrovascular infarction during cardiac surgery |
| I97.821 | Postprocedural cerebrovascular infarction during other surgery |
| J38.3 | Other diseases of vocal cords |
| J38.5 | Laryngeal spasm |
| J39.2 | Other diseases of pharynx |
| K11.7 | Disturbances of salivary secretion |
| K22.0 | Achalasia of cardia |
| K23 | Disorders of esophagus in diseases classified elsewhere |
| K60.0 | Acute anal fissure |
| K60.1 | Chronic anal fissure |
| L74.510 | Primary focal hyperhidrosis, axilla |
| L74.511 | Primary focal hyperhidrosis, face |
| L74.512 | Primary focal hyperhidrosis, palms |
| L74.513 | Primary focal hyperhidrosis, soles |
| L74.52 | Secondary focal hyperhidrosis |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|--|
| ICD-10 Diagnosis Code | Description |
| N31.0 | Uninhibited neuropathic bladder, not elsewhere classified |
| N31.1 | Reflex neuropathic bladder, not elsewhere classified |
| N31.8 | Other neuromuscular dysfunction of bladder |
| N31.9 | Neurogenic Bladder |
| N32.81 | Overactive bladder |
| N33 | Bladder disorders in diseases classified elsewhere |
| N36.44 | Muscular disorders of urethra |
| N39.41 | Urge incontinence |
| N39.46 | Mixed incontinence |
| N39.498 | Other specified urinary incontinence |
| R49.8 | Other voice and resonance disorders |
| R68.2 | Dry mouth, unspecified |
| S14.0XXA | Concussion and edema of cervical spinal cord, initial encounter |
| S14.0XXD | Concussion and edema of cervical spinal cord, subsequent encounter |
| S14.0XXS | Concussion and edema of cervical spinal cord, sequela |
| S14.101A | Unspecified injury at C1 level of cervical spinal cord, initial encounter |
| S14.101D | Unspecified injury at C1 level of cervical spinal cord, subsequent encounter |
| S14.101S | Unspecified injury at C1 level of cervical spinal cord, sequela |
| S14.111A | Complete lesion at C1 level of cervical spinal cord, initial encounter |
| S14.111D | Complete lesion at C1 level of cervical spinal cord, subsequent encounter |
| S14.111S | Complete lesion at C1 level of cervical spinal cord, sequela |
| S14.112A | Complete lesion at C2 level of cervical spinal cord, initial encounter |
| S14.112D | Complete lesion at C2 level of cervical spinal cord, subsequent encounter |
| S14.112S | Complete lesion at C2 level of cervical spinal cord, sequela |
| S14.113A | Complete lesion at C3 level of cervical spinal cord, initial encounter |
| S14.113D | Complete lesion at C3 level of cervical spinal cord, subsequent encounter |
| S14.113S | Complete lesion at C3 level of cervical spinal cord, sequela |
| S14.114A | Complete lesion at C4 level of cervical spinal cord, initial encounter |
| S14.114D | Complete lesion at C4 level of cervical spinal cord, subsequent encounter |
| S14.114S | Complete lesion at C4 level of cervical spinal cord, sequela |
| S14.115A | Complete lesion at C5 level of cervical spinal cord, initial encounter |
| S14.115D | Complete lesion at C5 level of cervical spinal cord, subsequent encounter |
| S14.115S | Complete lesion at C5 level of cervical spinal cord, sequela |
| S14.116A | Complete lesion at C6 level of cervical spinal cord, initial encounter |
| S14.116D | Complete lesion at C6 level of cervical spinal cord, subsequent encounter |
| S14.116S | Complete lesion at C6 level of cervical spinal cord, sequela |
| S14.117A | Complete lesion at C7 level of cervical spinal cord, initial encounter |
| S14.117D | Complete lesion at C7 level of cervical spinal cord, subsequent encounter |
| S14.117S | Complete lesion at C7 level of cervical spinal cord, sequela |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|--|
| ICD-10 Diagnosis Code | Description |
| S14.118A | Complete lesion at C8 level of cervical spinal cord, initial encounter |
| S14.118D | Complete lesion at C8 level of cervical spinal cord, subsequent encounter |
| S14.118S | Complete lesion at C8 level of cervical spinal cord, sequela |
| S14.121A | Central cord syndrome at C1 level of cervical spinal cord, initial encounter |
| S14.121D | Central cord syndrome at C1 level of cervical spinal cord, subsequent encounter |
| S14.121S | Central cord syndrome at C1 level of cervical spinal cord, sequela |
| S14.122A | Central cord syndrome at C2 level of cervical spinal cord, initial encounter |
| S14.122D | Central cord syndrome at C2 level of cervical spinal cord, subsequent encounter |
| S14.122S | Central cord syndrome at C2 level of cervical spinal cord, sequela |
| S14.123A | Central cord syndrome at C3 level of cervical spinal cord, initial encounter |
| S14.123D | Central cord syndrome at C3 level of cervical spinal cord, subsequent encounter |
| S14.123S | Central cord syndrome at C3 level of cervical spinal cord, sequela |
| S14.124A | Central cord syndrome at C4 level of cervical spinal cord, initial encounter |
| S14.124D | Central cord syndrome at C4 level of cervical spinal cord, subsequent encounter |
| S14.124S | Central cord syndrome at C4 level of cervical spinal cord, sequela |
| S14.125A | Central cord syndrome at C5 level of cervical spinal cord, initial encounter |
| S14.125D | Central cord syndrome at C5 level of cervical spinal cord, subsequent encounter |
| S14.125S | Central cord syndrome at C5 level of cervical spinal cord, sequela |
| S14.126A | Central cord syndrome at C6 level of cervical spinal cord, initial encounter |
| S14.126D | Central cord syndrome at C6 level of cervical spinal cord, subsequent encounter |
| S14.126S | Central cord syndrome at C6 level of cervical spinal cord, sequela |
| S14.127A | Central cord syndrome at C7 level of cervical spinal cord, initial encounter |
| S14.127D | Central cord syndrome at C7 level of cervical spinal cord, subsequent encounter |
| S14.127S | Central cord syndrome at C7 level of cervical spinal cord, sequela |
| S14.128A | Central cord syndrome at C8 level of cervical spinal cord, initial encounter |
| S14.128D | Central cord syndrome at C8 level of cervical spinal cord, subsequent encounter |
| S14.128S | Central cord syndrome at C8 level of cervical spinal cord, sequela |
| S14.131A | Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter |
| S14.131D | Anterior cord syndrome at C1 level of cervical spinal cord, subsequent encounter |
| S14.131S | Anterior cord syndrome at C1 level of cervical spinal cord, sequela |
| S14.132A | Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter |
| S14.132D | Anterior cord syndrome at C2 level of cervical spinal cord, subsequent encounter |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|--|
| ICD-10 Diagnosis Code | Description |
| S14.132S | Anterior cord syndrome at C2 level of cervical spinal cord, sequela |
| S14.133A | Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter |
| S14.133D | Anterior cord syndrome at C3 level of cervical spinal cord, subsequent encounter |
| S14.133S | Anterior cord syndrome at C3 level of cervical spinal cord, sequela |
| S14.134A | Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter |
| S14.134D | Anterior cord syndrome at C4 level of cervical spinal cord, subsequent encounter |
| S14.134S | Anterior cord syndrome at C4 level of cervical spinal cord, sequela |
| S14.135A | Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter |
| S14.135D | Anterior cord syndrome at C5 level of cervical spinal cord, subsequent encounter |
| S14.135S | Anterior cord syndrome at C5 level of cervical spinal cord, sequela |
| S14.136A | Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter |
| S14.136D | Anterior cord syndrome at C6 level of cervical spinal cord, subsequent encounter |
| S14.136S | Anterior cord syndrome at C6 level of cervical spinal cord, sequela |
| S14.137A | Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter |
| S14.137D | Anterior cord syndrome at C7 level of cervical spinal cord, subsequent encounter |
| S14.137S | Anterior cord syndrome at C7 level of cervical spinal cord, sequela |
| S14.138A | Anterior cord syndrome at C8 level of cervical spinal cord, initial encounter |
| S14.138D | Anterior cord syndrome at C8 level of cervical spinal cord, subsequent encounter |
| S14.138S | Anterior cord syndrome at C8 level of cervical spinal cord, sequela |
| S14.141A | Brown-Sequard syndrome at C1 level of cervical spinal cord, initial encounter |
| S14.141D | Brown-Sequard syndrome at C1 level of cervical spinal cord, subsequent encounter |
| S14.141S | Brown-Sequard syndrome at C1 level of cervical spinal cord, sequela |
| S14.142A | Brown-Sequard syndrome at C2 level of cervical spinal cord, initial encounter |
| S14.142D | Brown-Sequard syndrome at C2 level of cervical spinal cord, subsequent encounter |
| S14.142S | Brown-Sequard syndrome at C2 level of cervical spinal cord, sequela |
| S14.143A | Brown-Sequard syndrome at C3 level of cervical spinal cord, initial encounter |
| S14.143D | Brown-Sequard syndrome at C3 level of cervical spinal cord, subsequent encounter |
| S14.143S | Brown-Sequard syndrome at C3 level of cervical spinal cord, sequela |
| S14.144A | Brown-Sequard syndrome at C4 level of cervical spinal cord, initial encounter |
| S14.144D | Brown-Sequard syndrome at C4 level of cervical spinal cord, subsequent encounter |
| S14.144S | Brown-Sequard syndrome at C4 level of cervical spinal cord, sequela |
| S14.145A | Brown-Sequard syndrome at C5 level of cervical spinal cord, initial encounter |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|---|
| ICD-10 Diagnosis Code | Description |
| S14.145D | Brown-Sequard syndrome at C5 level of cervical spinal cord, subsequent encounter |
| S14.145S | Brown-Sequard syndrome at C5 level of cervical spinal cord, sequela |
| S14.146A | Brown-Sequard syndrome at C6 level of cervical spinal cord, initial encounter |
| S14.146D | Brown-Sequard syndrome at C6 level of cervical spinal cord, subsequent encounter |
| S14.146S | Brown-Sequard syndrome at C6 level of cervical spinal cord, sequela |
| S14.147A | Brown-Sequard syndrome at C7 level of cervical spinal cord, initial encounter |
| S14.147D | Brown-Sequard syndrome at C7 level of cervical spinal cord, subsequent encounter |
| S14.147S | Brown-Sequard syndrome at C7 level of cervical spinal cord, sequela |
| S14.148A | Brown-Sequard syndrome at C8 level of cervical spinal cord, initial encounter |
| S14.148D | Brown-Sequard syndrome at C8 level of cervical spinal cord, subsequent encounter |
| S14.148S | Brown-Sequard syndrome at C8 level of cervical spinal cord, sequela |
| S14.151A | Other incomplete lesion at C1 level of cervical spinal cord, initial encounter |
| S14.151D | Other incomplete lesion at C1 level of cervical spinal cord, subsequent encounter |
| S14.151S | Other incomplete lesion at C1 level of cervical spinal cord, sequela |
| S14.152A | Other incomplete lesion at C2 level of cervical spinal cord, initial encounter |
| S14.152D | Other incomplete lesion at C2 level of cervical spinal cord, subsequent encounter |
| S14.152S | Other incomplete lesion at C2 level of cervical spinal cord, sequela |
| S14.153A | Other incomplete lesion at C3 level of cervical spinal cord, initial encounter |
| S14.153D | Other incomplete lesion at C3 level of cervical spinal cord, subsequent encounter |
| S14.153S | Other incomplete lesion at C3 level of cervical spinal cord, sequela |
| S14.154A | Other incomplete lesion at C4 level of cervical spinal cord, initial encounter |
| S14.154D | Other incomplete lesion at C4 level of cervical spinal cord, subsequent encounter |
| S14.154S | Other incomplete lesion at C4 level of cervical spinal cord, sequela |
| S14.155A | Other incomplete lesion at C5 level of cervical spinal cord, initial encounter |
| S14.155D | Other incomplete lesion at C5 level of cervical spinal cord, subsequent encounter |
| S14.155S | Other incomplete lesion at C5 level of cervical spinal cord, sequela |
| S14.156A | Other incomplete lesion at C6 level of cervical spinal cord, initial encounter |
| S14.156D | Other incomplete lesion at C6 level of cervical spinal cord, subsequent encounter |
| S14.156S | Other incomplete lesion at C6 level of cervical spinal cord, sequela |
| S14.157A | Other incomplete lesion at C7 level of cervical spinal cord, initial encounter |
| S14.157D | Other incomplete lesion at C7 level of cervical spinal cord, subsequent encounter |

| Allowed Botox ICD-10 Diagnosis Codes | |
|---|---|
| ICD-10 Diagnosis Code | Description |
| S14.157S | Other incomplete lesion at C7 level of cervical spinal cord, sequela |
| S14.158A | Other incomplete lesion at C8 level of cervical spinal cord, initial encounter |
| S14.158D | Other incomplete lesion at C8 level of cervical spinal cord, subsequent encounter |
| S14.158S | Other incomplete lesion at C8 level of cervical spinal cord, sequela |
| S24.0XXA | Concussion and edema of thoracic spinal cord, initial encounter |
| S24.0XXD | Concussion and edema of thoracic spinal cord, subsequent encounter |
| S24.0XXS | Concussion and edema of thoracic spinal cord, sequela |
| S24.111A | Complete lesion at T1 level of thoracic spinal cord, initial encounter |
| S24.111D | Complete lesion at T1 level of thoracic spinal cord, subsequent encounter |
| S24.111S | Complete lesion at T1 level of thoracic spinal cord, sequela |
| S24.112A | Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter |
| S24.112D | Complete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.112S | Complete lesion at T2-T6 level of thoracic spinal cord, sequela |
| S24.113A | Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter |
| S24.113D | Complete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.113S | Complete lesion at T7-T10 level of thoracic spinal cord, sequela |
| S24.114A | Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter |
| S24.114D | Complete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.114S | Complete lesion at T11-T12 level of thoracic spinal cord, sequela |
| S24.131A | Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter |
| S24.131D | Anterior cord syndrome at T1 level of thoracic spinal cord, subsequent encounter |
| S24.131S | Anterior cord syndrome at T1 level of thoracic spinal cord, sequela |
| S24.132A | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter |
| S24.132D | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.132S | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, sequela |
| S24.133A | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter |
| S24.133D | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.133S | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, sequela |
| S24.134A | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter |
| S24.134D | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.134S | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela |
| S24.141A | Brown-Sequard syndrome at T1 level of thoracic spinal cord, initial encounter |
| S24.141D | Brown-Sequard syndrome at T1 level of thoracic spinal cord, subsequent encounter |

| Allowed Botox ICD-10 Diagnosis Codes | |
|--------------------------------------|--|
| ICD-10 Diagnosis Code | Description |
| S24.141S | Brown-Sequard syndrome at T1 level of thoracic spinal cord, sequela |
| S24.142A | Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, initial encounter |
| S24.142D | Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.142S | Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, sequela |
| S24.143A | Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, initial encounter |
| S24.143D | Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.143S | Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, sequela |
| S24.144A | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter |
| S24.144D | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.144S | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, sequela |
| S24.151A | Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter |
| S24.151D | Other incomplete lesion at T1 level of thoracic spinal cord, subsequent encounter |
| S24.151S | Other incomplete lesion at T1 level of thoracic spinal cord, sequela |
| S24.152A | Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter |
| S24.152D | Other incomplete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter |
| S24.152S | Other incomplete lesion at T2-T6 level of thoracic spinal cord, sequela |
| S24.153A | Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter |
| S24.153D | Other incomplete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter |
| S24.153S | Other incomplete lesion at T7-T10 level of thoracic spinal cord, sequela |
| S24.154A | Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter |
| S24.154D | Other incomplete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter |
| S24.154S | Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela |

Contact Information

If you have any questions, please contact the Physician Services Program Officer at 406-444-3995.

For claims questions or additional information, contact Provider Relations at 1-800-624-3958 (toll-free, in/out of state) or 406-442-1837 (Helena) or via e-mail at MTPRHelpdesk@xerox.com.

Visit the Montana Healthcare Programs Provider Information website at <http://medicaidprovider.mt.gov/>.